

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	630	428/378.ccls. and carbon and glass	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/28 18:26
L2	614	428/378.ccls. and carbon and glass and (fiber fibre filament strand roving yarn)	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/28 18:35
L3	14	2 and (reinforc\$5 near2 (rod member))	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/28 18:52
L4	7	3 and (impregna\$5 pultru\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/28 18:39
L5	5346	carbon with glass with (fiber tow bundle fibre filament strand roving yarn) with (combination mixture mixed intermix\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/28 18:37
L6	74	5 and (428/378 428/375).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/28 18:38
L7	55	6 and (impregna\$5 pultru\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/28 19:46
L8	3	7 and ((strenth tension reinforcing support) near (member rod))	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/28 18:42
L9	1801	(mixed intermixed) with (tow bundle roving)	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/28 19:20
L10	727	9 and carbon	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/28 18:51
L11	445	10 and glass	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/28 18:51
L12	25	11 and (reinforc\$5 near2 (rod member))	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/28 18:52
L13	73	6 and (impregna\$5 pultru\$5 coat\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/28 18:52
L14	25	12 and (impregna\$5 pultru\$5 coat\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/28 18:52

## EAST Search History

L15	4	14 and interstice	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/28 18:56
L16	8	14 not "25"	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/28 18:56
L17	21	14 not 15	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/28 18:56
L18	742	(mixed intermixed) with (tow bundle roving)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 19:20
L19	55	18 and carbon	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 19:20
L20	21	19 and glass	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 19:20
L21	8	20 and (impregna\$5 pultru\$5 coat\$5)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 19:23
L22	941	(fiber near reinforc\$4) near3 rod	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 19:32
L23	236	22 and (glass near (fiber fibre filament tow roving strand))	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 19:24
L24	40	23 and (carbon near (fiber fibre filament tow roving strand))	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 19:25
L25	668	(fiber near reinforc\$4) near3 rod	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/28 19:32
L26	394	25 and (glass near (fiber fibre filament tow strand roving))	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/28 19:44
L27	150	26 and (carbon near (fiber fibre filament strand tow roving))	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/28 19:44
L28	1	27 and (inner near core)	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/28 19:35
L29	28	27 and (inner near layer)	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/28 19:36

## EAST Search History

L30	6614	(carbon near (fiber fibre filament strand tow roving)) near3 (inner (layer core))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 19:50
L31	1332	(glass near (fiber fibre filament tow strand roving)) near3 ((outer surface) near (layer core))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 19:51
L32	79	30 and 31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 19:45
L33	40	32 and (impregna\$5 pultru\$5 coat\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/28 19:49
L34	13	33 and rod	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/28 19:49
L35	44	32 and (impregna\$5 pultru\$5 coat\$5).	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 19:49
L36	14	35 and rod	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 19:50
L37	1	36 not 34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 19:50
L38	2704	(carbon near (fiber fibre filament strand tow roving)) near (inner (layer core))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 19:50

## EAST Search History

L39	528	(glass near (fiber fibre filament tow strand roving)) near ((outer surface) near (layer core))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 19:51
L40	20	38 and 39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 19:51
L41	19	40 and (rod member tension strength)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 19:51
L42	12	41 not 36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/28 19:51